BODY WORKS PLUS

JULY / AUGUST 2006

SHA-6760 • Dryaire™ Desiccant System

- • Stage 1 Filter (Comp.#22601) includes auto drain and 5 micron filter
- Stage 2 Coalescer (Comp.#22602) with auto drain removes oil particles down to 01micron
- Stage 3 Desiccant Dryer (Comp.#22603) –30 CFM capacity

$429.00

APPROVED FOR PAINT COMPANY WARRANTY PROGRAMS!

SHARPE

SHA-6770 • Membrane Air Drying System

- Originally Designed for OEM Application. Now Available in Shop Use
- Maintenance-Free Membrane Dryer – No Refrigerants or Desiccants to Replace – No Regeneration Required
- Stage 1 Filter Provides Removal of Water and Contaminates Down to 5 Microns
- Stage 2 Coalescer Provides Removal of Oil and Sub-Micronic Particles Down to .01 Microns
- Maintains –40°F Dew Point While Achieving 0% Compressed Air Humidity
- Filtering Capacity 30 CFM @ up to 175 psi
- Lightweight, Easy-to-install, Simple to Operate

APPROVED FOR PAINT COMPANY WARRANTY PROGRAMS!

$839.00

DRYAIRE

OTC-3716 • ABS Reader II Kit

OTC introduces ABS Reader II featuring the latest technology for servicing ABS and air bag systems. The new Genisys-based tool is loaded with Genisys ABS / Air Bag and Global OBD II software. The ABS software also includes system codes and data from the new Domestic and Asian 2005.

$1,349.00
36 Month
Lease Price $47.65

The ABS Reader II Features:

- Graphic display • Fast data retrieval • Enhanced data and recording functions
- ScanMate ABS PC software for uploading recorded files, storage, and printing
- Internet/memory card update capability
- Protective rubber over-mold • 3-year warranty

ABS/Air Bag Software Features and Coverage

- Diagnose ABS pattern failures with Repair-Trac™ Tech-Tips
- Expanded ABS Pathfinder™ troubleshooting
- New tests through 2005 for GM, Chrysler and Jeep
  - – Chrysler/Jeep - many systems added, including rear wheel ABS and brake bleed for some systems
  - – GM - bi-directional tests updated
- Expanded Ford coverage through 2005
- Volvo coverage from 1993 through 2005
- Volkswagen supported from 1990 through 2004
- Audi supported from 1992 through 2003
- Asian ABS and air bag coverage: Toyota, Lexus, Honda, Acura, Mazda, Mitsubishi, Nissan, Infiniti, Isuzu, Subaru, and Suzuki

SPX OTC

FPR-125 • ZIP Cure Rubberized Undercoating, 20 oz.

NEW

An extremely fast drying paintable rubber undercoating. Provides premium corrosion protection, sound deadening and abrasion protection. This professional formulation finishes with an OEM appearance and texture.

- Extremely Fast Drying
- Premium Corrosion Resistance
- Paintable



ONE OF THE HIGHEST BUILD UNDERCOATINGS ON THE MARKET

$6.65

FINISH PRO™

DTF-DF-15DX • Spot Annihilator Kit

- This kit version of the DF-15 gives you the option of storing the Annihilator and your bits in a form fitted hard plastic carrying case
- Comes complete with the ***SPOT ANNIHILATOR***, 1 in-line oiler, 1/ 10mm titanium coated and 2/ 8.0mm titanium coated drill bits

NEW

$445.00

DENT FIX EQUIPMENT

U-POL™ • Raptor Truck Bed Liner, 4-Liter Kit With FREE Schutz Gun

- Easy to use – simply fill - shake – shoot
- Choice of pot life/dry times controlled by the speed of the hardener
- Enough material to re-spray the largest truck beds
- Dries rapidly & UV resistant
- Scratch & stain resistant
- Protects against rust, corrosion salt, damp and extreme temperatures
- Waterproof, flexible, helps deaden sound and vibrations
- Apply with shutz gun, roller or brush to obtain different textures
- FREE Schutz Gun with the purchase of **UPL-UP0820** or **UPL-UP0821**



UPL-UP0726

FREE

Also Available:

UPL-UP0820 • Raptor Truck Bed Liner, 4L Black
UPL-UP0821 • Raptor Truck Bed Liner 4L Tintable
UPL-UP0726 • Gravitex Shutz Gun

3M-16400 • PPS™ SUN GUN™ Color Matching Light Kit

The 3M™ PPS™ SUN GUN™ Color Matching Light can be used throughout the refinish process to:

- Identify pre-paint defects such as pin holes, sand- scratches, etc.
- Choose alternate colors from various chip decks.
- Verify color match using paint spray outs.
- Check for complete coverage or full hiding
- Identify post-paint defects such as sand-scratches, swirl marks ,etc.

Kit Includes:

1- SUN GUN™ Color Matching Light,
1- SUN GUN™ 35W Color Corrective Bulb 16399,
1- SUN GUN™ NiCad Battery Pack 16398,
1- SUN GUN™ Battery Charger with Power Supply and Cord 16396.

- Conveniently packaged in a durable protective carrying case.

USC-16200 • PRO-7™ Premium Lightweight Body Filler, 1 Gallon

- Premium, ultra-smooth, easy-spreading and easy-sanding lightweight automotive body repair filler
- Manufactured with the finest premium grade resins available; these resins are specifically designed for use with all multi-layer paint systems resulting in a formulation which is easy to spread, quick to sand and provides maximum adhesion to all galvanized/zinc-treated surfaces
- Stain-free, tack-free and pin-hole free for excellent repair results every time! (Blue cream hardener included.)

DWT-DC410KA • Heavy-Duty 4-1/2" 18-Volt Cordless Cut-Off Tool

- 6,500 rpm provides high power for cutting and grinding applications
- 3 position side handle with trigger lock
- Metal gear case dissipates heat for longer bearing, gear and motor life

$278.00

- Includes: (2) 18V XR+™ PACK batteries, 1 hour charger, Type 27 guard, Type 1 guard, wrench and backing flange.

DEWALT
High Performance Industrial Tools

ATD-5025 • Double Diaphragm Fuel Transfer Pump

- Heavy-duty aluminum die cast construction
- Includes 2" die cast bung adapter and extra heavy-duty steel handle with security locking latch
- Includes telescopic suction tube, adjustable to fit 15 to 55 gallon drums
- Easy dispensing through 8' of anti-static neoprene rubber hose with die cast dispensing nozzle
- Pump inlet fitted with easy to clean wire mesh screen
- Dispenses 1 Gallon in 5 strokes



$139.95

ADVANCED TOOL DESIGN

Index

3M	3M COMPANY	2, 13
ADO	ADOBE AIR	24
AST	ASTRO PNEUMATIC	14, 23
ATD	ATD TOOLS	2, 5, 7, 8, 10, 11, 14, 18, 22, 24
BBL	BLUE BLOWER	24
BIN	BINKS	3, 6
CPC	CHICAGO PNEUMATIC COMPRESSORS	11
CPT	CHICAGO PNEUMATIC	14
DEV	DEVILBISS	3, 6, 8, 10
DTF	DENT FIX EQUIPMENT	1, 8, 28
DWT	DEWALT	2, 14
DYN	DYNABRADE	23
FIB	FIBREGLASS-EVERCOAT	21
FPR	FINISHPRO	1, 10, 16, 18
FUS	FUSOR	15, 17
IMC	AMERICAN IMC COMPRESSORS	11
IRC	INGERSOLL-RAND	14
IRR	INGERSOLL-RAND COMPRESSORS	11
JUS	JUSTRITE	13
KEY	KEYSCO TOOLS	18
KIL	KILLER TOOLS	23
MAR	MARSON	23
MCC	MCCULLOCH	24
MCL	MO-CLAMP	20
MFX	MICROFLEX	12
MGL	MEGUIARS	15
MIL	MILTON INDUSTRIES	10
MKT	MAKITA	14
MOT	MOTORGUARD	4, 20
OTC	OTC TOOL AND EQUIPMENT	1
RBL	RBL PRODUCTS	18
RHO	RHINO TOOLS	7
SAT	SATA SPRAY EQUIPMENT	4, 9, 10
SEM	SEM PRODUCTS	19
SGT	S&G TOOL AID	22
SHA	SHARPE	1, 4, 8, 10
STK	STECK	20, 22
SUU	SUNEX TOOLS	23
TPI	COLEMAN	14
TTN	TITAN	8
UNI	H&S UNISPOTTER	16, 17
UPL	U-POL PRODUCTS	1
USC	U.S. CHEMICAL	2, 18
UVX	UVEX	12
VIS	VISKON-AIRE	4

DEV-130500 • CT-30 Desiccant Cartridge Dryer

Complete Compressed Air Treatment

- Easy access 6" flange for quick desiccant changes
- Moisture Indicator lets you know when to change desiccant cartridge
- First Stage Separator efficiently removes bulk water, dirt and oil, which greatly extends the desiccant life

COMPLETE COMPRESSED AIR TREATMENT

$299.95

CAMAIR DEVILBISS

DEV-130504 • CT Series 10 lb. Desiccant Cartridge

- Desiccant Cartridge - Special CAMAIR desiccant cartridge removes oil, water and moisture vapor from your compressed air resulting in a dew point of -400°F and relative humidity of less than 1/2%

CHANGING DESICCANT HAS NEVER BEEN EASIER

$59.90

CAMAIR DEVILBISS

DEV-DAD500 • CleanAir™ Desiccant Air Drying System

- Eliminate costly re-do's due to moisture and dirt in air line
- First stage centrifugal filter removes oil, water, and dirt down to 5 microns
- 2nd stage coalescer filter removes oil-aerosols, and dirt down to .01 microns
- Third stage uses "clearly better" low-dusting desiccant to trap water vapor
- 25 CFM capacity

$481.00

Also Available:

DEV-DAD600 • Dessicant Tune-Up Kit $86.50
Includes 1 each: DAD-1, DAD-3, HAF-6 and HAF-507

DEVILBISS AUTOMOTIVE REFINISHING

DEV-HAR602 • "The Big One"

- Finishline® 120 CFM Air Control Unit with 50 CFM regulator
- 5 micron particle filter
- 120 CFM filter capacity
- Additional filtered regulated outlet
- Filtered main line outlet
- Large bowl – less frequent draining of accumulated water
- Air inlet: 1/2" N.P.T. (F)
- Air outlet at shutoff valve: 1/4" NPSM (M)
- Maximum pressure: 150 psi

$91.50

DEVILBISS AUTOMOTIVE REFINISHING

DEV-130042 • Control Unit & Regulator

- 100 CFM Air Line Control Unit with Air Regulator
- "Tornado" action separator ring swirls incoming air to remove water
- "Flex drain" allows fast removal of water collected in the bowl
- Quick release bowl guard and spin-off filter

Air Regulator Features:

- 0-125 psi, 60 cfm regulator and guage for painting and air tool operation
- Quick shut-off valve

$150.91

DEV-130041 • 100 CFM Air Line Control Unit Only $95.60

FINISHLINE™ DEVILBISS CLEAN AIR

DEV-130502 • CamAir Desiccant Snake - DS20 Inline Desiccant Filter

- Contains special desiccant and has a unique design that ensures maximum compressed air to desiccant contact time
- Contains a built in element that removes oil and dirt
- Long and narrow construction featuring 1" brass ferrules and 1/4" brass thread connectors - not plastic thread connections that you may find on cheap molded competitive products
- Good to 20 PSIG; Good for up to 20 SCFM
- Environmentally friendly

$17.46

CAMAIR DEVILBISS

DEV-HAF507 • Whirlwind Filter

- Reduce paint defects caused by dirty air
- Tough - bends rather than breaks
- Longer life and less pressure dip than competitive filters

$6.29

DEVILBISS AUTOMOTIVE REFINISHING

BIN-HAR-511 • 60 CFM Fluid Pressure Tank Regulator

- Flow-through for presure tanks

$94.25

BINKS

BODY WORKS PLUS

The Best Selling Filters In the Market!

SHARPE
Air Control Units and Filters

SHA-6710 • Air Filter

- Model 606 Air Filter Large reusable edge type filter element. Highly effective at removing water, oil, contamination. 10 Micron filter. Air inlet 1/2" f.p.t. Two air outlets 3/8" f.p.t. Filter capacity 120 CFM
- Replacement Filter: SHA-19930

$71.50

SHA-6720 • Filtered Air Control Unit

- Model 606A Air Control Unit 18C-3R Regulator with 160 lb. Inverted Gauge (GA-160U) & Air Cock (1-HC-1885). Additional regulated outlet included. Filtered main line outlet included. Air inlet 1/2" f.p.t. Filter capacity 120 CFM. Regulator capacity 50 CFM
- Replacement Filter: SHA-19930

$114.50

SHA-6950 • Filtered Air Unit

- Model 880A Air Control Unit One 18C-3R Regulator. 160 lb. Inverted Gauge (GA-160U). Air Cock (1-HC-1885). Additional regulated outlet included. Filtered main line outlet included. Air Inlet 1/2" F.P.T. Filter Capacity 75 CFM. Regulator Capacity 50 CFM
- Replacement Filter: SHA-32719

$99.95

SHARPE

MOTORGUARD Sub-Micronic Compressed Air Final Filter

REFINISHING
- Eliminates paint failures caused by particulate, moisture and oil aerosol contaminates as small as .01 micron

AIR TOOLS
- Extends the life of your tools by protecting bearings and precision parts from dirty, oily, watery contaminants

PLASMA CUTTING
- Increases the efficiency and tip life of your plasma cutter by removing moisture and oil aerosols from your compressed air line

MOTOR GUARD CORPORATION

Model	Pipe Size	Max. Flow @ 80 psi	Removal Rating (NOM.)	Price
MOT-M30	1/4" NPT	45 CFM	.01 Micron	$68.50
MOT-M60	1/2" NPT	100 CFM	.01 Micron	$68.50

MOT-D122 • Spray Gun Filter (2 Each Carded)

- The "Original" Disposable Compressed Air Spray Gun Filter
- Improved air flow for HVLP as well as High Pressure applications
- Designed to remove the smallest contaminant particle, oil-aerosol or drop of moisture to supply clean, dry, oil free air to your spray gun

$9.95

MOTOR GUARD CORPORATION

MOT-DD10082 • 2 Pk. Disposable Desiccant Filters

- The only disposable, in-line, point-of-use filter that features a color change indicator
- Removes all traces of water vapor, oil-aerosols and dirt
- For all stages of painting including the critical application of clear-coats

$17.05

MOTOR GUARD CORPORATION

VIS-080000 • Disposable In-Line Point-of-Use Desiccant Air Dryer with Humidity Indicator

- Removes moisture vapor down to 1/2% RH
- Built-in filter elements remove oil and dirt
- Integrated relative humidity indicator lets you know when to change out unit
- Indestructible nylon body
- Mounting hardware

$56.99

Air GUARDIAN™ Desiccant Air Dryer
Made in The U.S.A. Patent Pending

SAT-92296 • 0/444™ Double Stage Fine Filter

- Combination fine filter unit for providing 100% clean (technically 99.998%) compressed air
- Allows precise air pressure setting and filtration to 0.01 micron to remove silicone, oil, water and dust
- Complete with fully automatic condensation discharge and air connection module. 1/2" internal inlet thread and (2) 1/4" external outlet thread
- High air volume capacity of 129.6 CFM at 90 psi
- Corrosion proof
- Temperature resistant up to 248°F
- No desiccant maintenance
- Rugged all-metal housing for long service life

SATA

$849.99

SHA-8130 • Air Filter (F88)

- F88 Air Control Unit, 75 CFM Filter Cap. 1/2" inlet 3/8" & 1/4" outlets

$63.70

SHARPE

SHA-8135 • Mechanic's Air Filter (F88M)

- Designed to protect the mechanic's tool investment
- Portable - mounts anywhere
- Designed for use with quick couplers
- Air inlet 1/4" f.p.t.
- Air outlets 1/4" f.p.t. & 1/4" f.p.t. (plugged)
- Filter capacity 75 CFM

$61.40

SHARPE

ATD-7883 • Large Capacity Air Desiccant Air Drying System - 1/2" Pipe, 30 SCFM

- 1/4" outlet pipe
- First Stage - 5 micron particulate filter removes water in a liquid form as well as dirt, debris and pipe scale
- Second Stage - .01 micron oil removing filter removes oil aerosols and microscopic particles removed
- Third Stage - Desiccant dryer adsorbs water vapor from the air, producing a –30°F dew point
- Fourth Stage - 3 micron absolute filter filtrates desiccant dust
- Fifth Stage - Precision regulator reduces pressure to required level

A BEST VALUE IN AIR MANAGEMENT

$355.00

MADE IN USA

ATD-7865 • Air Control/Oil Remover Unit

- 5 Micron / 50 SCFM Air Control Unit
- With 4, 1/4" Outlets - 2 Regulated

MADE IN USA

$129.95

ATD-7858 • 1/2" Compressed Air Filter

- Std. 1/2" NPT Piggyback Filter/Regulator
- Metal Bowl w/sight
- 40 Micron
- 100 SCFM
- Max Pressure: 250 psig
- Combines filter and pressure regulator into one space saving unit
- Output performance equal to an individual filter and regulator
- Reduced pressure outputs of 5-125 psig
- Gauge included

$72.95

ATD-7854 • Metal Filter, Regulator and Gauge Combination Unit with Manual Drain

- Combines filter and pressure regulator and gauge into one space saving unit
- Output performance equal to an individual filter and regulator
- Reduced pressure outputs of 5-125 psig
- 1/4" Pipe Size
- 40 micron Filter Element
- 50 Max. Flow SCFM
- 6 oz. Bowl Capacity
- 250 psig Max. Pressure

$72.95

ATD-7823 • General Purpose Poly Filter

- Removes liquid, water, dirt and debris from air lines
- Protects components and air tools from premature failure
- Manual Drain
- 1/4" Pipe Size
- 48 Max. Flow SCFM
- 5 oz. Bowl Capacity
- 40°-125°F Operating Temperature Range
- 150 psig Max. Flow Pressure
- 40 micron Filter Element

$34.25

ATD-7823

Also Available:

ATD-7824 • General Purpose Metal Filter $41.50

ATD-7824

ATD • Air Regulators

ATD-7841 • Standard 1/4" NPT Air Regulator with Gauge, 25 SCFM. $19.55

- Pipe Size: 1/4"; Operating Temperature: 40°-120°F; Adjustment Range: 5 to 125 psig
- Die cast body; adjustment knob; 25 SCFM maximum; 1/8" NPT gauge port; pressure gauge included
- Self-relieving style units. Features three position non-rising knob—push to lock, pull to adjust, detach to make tamper resistant. T-handle also available

ATD-7843 • Standard 1/4" NPT Air Regulator with Gauge, 50 SCFM. $34.25

- Pipe Size: 1/4"; Operating Temperature: 40°-120°F
- (2) 1/4" NPT gauge ports; pressure gauge included

ATD-7844 • Standard 1/2" NPT Air Regulator with Gauge, 100 SCFM. $34.25

- Pipe Size: 1/4"; Operating Temperature: 40°-120°F
- (2) 1/4" NPT gauge ports; pressure gauge included

ATD-7841

ATD-7843

ATD-7844

SRiW™ HVLP Spot Repair

New! Wider "D" Shaped Pattern

DEV-SRI631G10

Bumper DeMon™ HVLP Spot Repair Gravity Spray Gun with 8 oz. Cup Kit

- Optimum spray pattern control - 1/4" to 8"
- ***Now available with 8 oz. cup for larger jobs!***
- 1.0 mm fluid tip
- Specifications — 29 psi air inlet pressure delivers 10 psi air cap pressure at 4.8 cfm air volume required

SRiW Gravity Spot Repair Gun Includes:

- 4 oz. Aluminum cup
- 4 oz. Disposable cup
- Pouring funnel, spanner wrench, gun hook, spray lube

Model	Size	Price
DEV-SRI631G10	1.0mm	$253.25
DEV-SRI630G10	1.0mm	$253.25
DEV-SRI630G08	0.8mm	$253.25

DEVILBISS AUTOMOTIVE REFINISHING

DEV-JGA635G14 • JGA Gravity Feed HVLP

- Versatile Performance, excellent for applying the full range of automotive and fleet refinishing materials with the new #350 air cap and 1.4mm fluid tip. Other tip sizes available separately
- HVLP technology - reduces overspray and complies with environmental regulations. 23 psi inlet pressure delivers 10 psi at the air cap
- Uses only 13cfm at the full 23 psi inlet pressure
- Durable, high quality construction - Drop-forged, buffed aluminum gun body



$268.95

DEVILBISS AUTOMOTIVE REFINISHING

DEV-GTI620G • GTi® Millennium HVLP Gravity Gun

- 32-oz. aluminum cup with push-on lid
- Three fluid tips — 1.3mm, 1.4mm, 1.5mm
- ***Air cap cleaning kit (new), spray lube fluid filter, gun hook***

What a Value

$345.00

DEVILBISS AUTOMOTIVE REFINISHING

DEV-GFG670 • PLUS™ Compliant Gravity Feed

- Precision engineered #140 air cap lays out a smooth, high gloss finish
- 20% larger spray pattern and 15% more fluid flow than traditional air spray or reduced pressure guns
- Greater than 65% transfer efficiency saves material and improves visibility
- Gravity gun includes three fluid tips (1.2mm, 1.3mm and 1.4mm)

$337.50

DEVILBISS AUTOMOTIVE REFINISHING

DEVILBISS • FINISHLINE 3 HVLP

- High grade, all aluminum gun body; all-metal gun components
- Precision-engineered to produce uniform, well-atomized spray patterns
- Complies w/HVLP regulations - Only 23 psi inlet yields 10 psi at the air cap
- Uses only 13 cfm at 10 psi

DEVILBISS AUTOMOTIVE REFINISHING

Model	Size	Price
DEV-FLG643	1.8mm	$112.50
DEV-FLG653G13	1.3mm	$112.50
DEV-FLG653G15	1.5mm	$112.50

BIN-6924-0000-0 • 1.4mm M1-G HVLP Gravity Feed

- Ideal for shops with limited air supply – needs only 10 CFM volume at 18 psi inlet pressure
- 93P air cap provides a fine atomization of automotive refinish materials
- Complies with environment regulations requiring HVLP
- Unique, long lasting self-adjusting fluid packing cartridge for simple replacement
- Waterborne compatible – anodized gun body and stainless steel fluid tip and needle
- Light weight, superbly balanced with smooth trigger action

Includes:

- 1-Liter aluminum cup (GFC-502)
- Coated gun bracket (192219)



BINKS **$337.50**

BIN-6211-4307-9 • 1.8mm 2001 Conventional Suction Feed

- Excellent atomization for today's refinishing materials
- Compact, lightweight and well-balanced
- Specially designed grip – improves operator control and handling comfort
- Maximum durability – drop-forged anodized aluminum gun body, replaceable spray head made of nickel-plated forged brass
- Stainless steel fluid tip and needle

$256.40

BINKS

When the Car is the Canvas...

Leonardo Spray Gun Kit

ATD-6913 • **1.3mm Fluid Nozzle with 1-Liter Cup**
ATD-6914 • **1.4mm Fluid Nozzle with 1-Liter Cup**
ATD-6915 • **1.5mm Fluid Nozzle with 1-Liter Cup**
ATD-6918 • **1.8mm Fluid Nozzle with 1-Liter Cup**
ATD-6910 • **Leonardo HVLP Paint Gun - 10mm Nozzle**

- The Leonardo Paint Gun Line has a revolutionary fluid nozzle and needle design where changing sizes only requires replacement of the fluid nozzle, not the needle
- 10" Spray pattern without separation makes it easy to achieve fast and even coverage
- Lightweight design reduces user fatigue and ensures a comfortable fit for the painter's hand
- Perfectly balanced for controlled painting with exceptional atomization and color matching for high quality finishes
- Satin finished gun

NEW

ATD-6913, ATD-6914, ATD-6915, ATD-6918

$89.95

the Leonardo when the car is the canvas...

NEW

ATD-6910

$79.95

ATD-6826 • Spray Gun and Cup Assembly

- High Production Gun
- Hardened alloy steel
- 1.8mm Fluid tip
- Dripless 1 qt. aluminum cup

$49.95

ATD-6820 • Spray Gun and Cup Assembly

- High Production Gun; Hardened alloy steel tip and needle
- 1.8 mm Fluid Tip

$41.99

ATD-6843 • 2 Qt. Pressure Pot w/Gun and Hose

- 1.0mm Spray Nozzle • 5' Hose
- Air Pressure: 6 Bar (85 psi)
- Air Inlet: 1/4" • Fluid Inlet: 3/8"
- Air Consumption: 16 CFM (453 liter/min)

$103.75

Also Available:
ATD-6844 • 2.75 Qt. Pressure Pot With Spray Gun & Hose $133.75

ATD-6900 • 10 Piece Spray Gun Kit

- Features stainless steel needle and nozzle sets, knob for spray pattern adjustment, operating pressures of 29-50 psi, 1/4" air inlet, 3.5-7.1 cfm air consumption

$94.95

Set Includes:
1.8mm primer spray gun, 1.4mm topcoat spray gun, 1.0mm touch-up spray gun, (2) 1 liter aluminum cups, 125cc stainless steel cup, locking pressure regulator (0-180 psi, 0-12 bar), metal paint gun stand, face mask and a 5 piece cleaning kit which includes (1) spanner wrench, (1) hex wrench, (1) brush and (2) filters

RHO-6811 • HVLP Spray Gun

- High Volume, Low Pressure (HVLP) paint spray gun
- 1.4mm spray nozzle
- 1 liter aluminum paint cup
- Finest atomization performance at large surface coating
- Simple maintenance
- Weight: 1.86 lbs.

$34.99

ATD-6849 • Air Brush Set

- Double-action trigger Air-Paint control
- Precise machine fine nozzle
- Works for artwork, design, and painting
- Contents: 1 Air Brush, 22C.C x 2 Glass Jars, 5' Air Hose, 1 Adapter, 1 Holder

$40.95

SHARPE
Cobalt™ HVLP Gravity Feed Spray Gun

NEW & IMPROVED

- Two piece drop-forged construction
- Every gun spray tested insures "out-of-box" performance
- Complete with nylon gravity feed cup

SHA-5823L

Lightweight Design & Easier to Clean

$159.95

Model	Fluid Tip/Needle		Price
SHA-5812L	1.2mm	LW Cobalt	$156.95
SHA-5814L	1.4mm	LW Cobalt	$159.95
SHA-5815L	1.5mm	LW Cobalt	$159.95
SHA-5816L	1.6mm	LW Cobalt	$159.95
SHA-5818L	1.8mm	LW Cobalt	$159.95
SHA-5823L	2.3mm	LW Cobalt	$159.95

SHARPE
Finex™ Gravity Feed Spray Guns

The Finex™ by Sharpe HVLP, mini-HVLP and conventional gravity feed spray guns are lightweight, featuring great gun balance and performance at a fraction of the cost.

SHA-248752

FINEX™ BY SHARPE

Model	Fluid Tip/ Needle	Description	Price
SHA-248752	1.0mm	FX100 Mini HVLP	$98.50
SHA-248753	1.4mm	FX200 Conv. Gun	$87.95
SHA-248754	1.8mm	FX200 Conv. Gun	$87.95
SHA-248755	1.3mm	FX300 HVLP Gun	$101.99
SHA-248756	1.4mm	FX300 HVLP Gun	$101.99
SHA-248757	1.5mm	FX300 HVLP Gun	$101.99
SHA-248758	1.8mm	FX300 HVLP Gun	$101.99

SHARPE

DTF • HVLP Swivel Paint Guns

- HVLP gravity feed
- Incorporates a swivel action inside the gun itself
- Allows you to move the handle to a more convenient position when spraying engine compartments and rocker panels
- 0.75L Aluminum cup
- Air regulator

DENT FIX EQUIPMENT

Also Available:

DTF-DF-WK2000-13 • 1.3mm tip **$139.95**
DTF-DF-WK2000-14 • 1.4mm tip **$139.95**
DTF-DF-WK2000-15 • 1.5mm tip **$139.95**

TTN-19220 • 4 Pc. HVLP Triple Set-Up Spray Gun Kit

- Aluminum paint cups
- Die cast Aluminum body with black Nickel finish
- 2-step trigger control
- Non-bleeder type, gravity feed external mix
- Stainless Steel nozzles
- Adjustable spray width, air inlet and fluid outlet

VAPER™

$99.95

Gun A - 1.0mm nozzle set for lighter material and touch-up work
Gun B - 1.4mm nozzle set for lighter materials
Gun C - 1.7mm nozzle set for heavier materials

***PLUS** - Locking pressure regulator with gauge*

DEV-JGA636 • JGA® Suction Feed Spray Gun, 1.8mm

- World famous JGA fit, feel and balance
- Maximum durability - drop-forged aluminum gun body
- Replaceable threaded baffle for economical servicing
- Cartridge type air valve for positive sealing and quick actionFluid Tip: 1.8mm; Air Cap: #80 - Synthetic and acrylic enamels

$259.75

DEVILBISS AUTOMOTIVE REFINISHING

Also Available:

DEV-JGA644 • 1.6mm tip with one quart cap **$259.75**

SHA-6835 • Conventional Paint Gun

- Sharpe's "classic" heavy duty production spray gun
- Self-aligning air cap for a perfect pattern
- Outstanding performance and reliability

$147.99

SHARPE

ATD-6843 • 2 Qt. Pressure Pot w/Gun and Hose

- 1.0mm Spray Nozzle
- 5' Hose
- Air Pressure: 6 Bar (85 psi)
- Air Inlet: 1/4"
- Fluid Inlet: 3/8"
- Air Consumption: 16 CFM (453 liter/min)

ATD TOOLS ADVANCED TOOL DESIGN

$103.75

ATD-6844 • 2.75 Qt. Pressure Pot w/Gun and Hose

- 1.0mm Spray Nozzle
- 5' Hose
- Sharpe style
- Air Pressure: 6 Bar (85 psi)
- Air Inlet: 1/4"
- Fluid Inlet: 3/8"
- Air Consumption: 16 CFM (453 liter/min)

ATD TOOLS ADVANCED TOOL DESIGN

$133.75

SATA Designed for the Future

Jetstream

- Newly developed nozzle concept for even higher color match precision and homogeneous material distribution
- Wide and even fan for higher work speed
- Perfect for the application of base and clearcoats
- Even better surface quality for spotless finish
- Finest material atomization
- Ensures excellent painting results

Chrome Fever: High-Brillance Gun for Brilliant Results

- Fully chrome-plated paint spray gun
- Chrome is wear-resistant and retains its value
- Chrome is corrosion-proof - even waterborne materials
- Chrome is as valuable ass gold - both visually and technically
- With its elegantly refined finish you will always make a brilliant appearance

SATAjet 3000 HVLP with 1L QCC Aluminum Cup

NEW

SATA

The SUPER SAVER due to HVLP Low Pressure Technology

Digital	Size	Price
SAT-133181	1.3mm	$660.00
SAT-133199	1.4mm	$660.00
SAT-133207	1.5mm	$660.00
SAT-133215	1.7mm	$660.00
Non-Digital	**Size**	**Price**
SAT-133017	1.3mm	$565.00
SAT-133025	1.4mm	$565.00
SAT-133033	1.5mm	$565.00
SAT-133041	1.7mm	$565.00

SATAjet 3000 RP with 1L QCC Aluminum Cup

The SUPERFAST ONE due to Optimized RP High Pressure Technology

Digital	Size	Price
SAT-132621	1.2mm	$660.00
SAT-132639	1.3mm	$660.00
SAT-132647	1.4mm	$660.00
SAT-132654	1.6mm	$660.00
SAT-132666-1	1.8mm	$660.00
Non-Digital	**Size**	**Price**
SAT-132431	1.2mm	$565.00
SAT-132449	1.3mm	$565.00
SAT-132456	1.4mm	$565.00
SAT-132464	1.6mm	$565.00
SAT-132589	1.8mm	$565.00

Digital Eye:
Now you've got a grip on pressure, for precise color match (optional DIGITAL feature)

SATA

The Enhancement of a Premium Class Product

SATA • Jet 2000 HVLP Digital Spray Gun

- Digital air inlet pressure measurement and control
- Maximum material savings
- Fully suitable for any paint system
- Only 2.0 bar (29 psi) inlet pressure
- Prefect ergonomics



Model	Size	Cup	Price
SAT-93484	1.3mm	1 liter Alum.	$575.00
SAT-93476	1.4mm	1 liter Alum.	$575.00
SAT-93492-1	1.2mm	1 liter Alum.	$575.00
SAT-93468-1	1.5mm	1 liter Alum.	$575.00

SATA • JET RP (Reduced Pressure) Digital 2

- Digital pressure measurement and control
- Maximum work speed
- Reduced operating pressure (20-35 psi) and extremely fine atomization for optimum finish results
- Quick Change feature for fast air cap fitting and removal
- Perfect ergonomics



Model	Size	Cup	Price
SAT-92098	1.4mm	1 liter Alum.	$575.00
SAT-92106	1.3mm	1 liter Alum.	$575.00
SAT-92114-1	1.2mm	1 liter Alum.	$575.00
SAT-92086-1	1.6mm	1 liter Alum.	$577.00

SATA • HVLP Primer/Filler or All Purpose Gravity Gun

- Use for high quality primer/filler/ sealer coatings in automotive refinish or general use
- Recommended inlet air pressure of only 29 psi ensures excellent finishes and transfer efficiency far exceeds 65%
- Extremely fine atomization reduces over spray
- Even material distribution across the large fan pattern
- V4A stainless steel needle and fluid tip makes it suitable for water borne material



Model	Size	Cup	Price
SAT-70953	1.4mm KLC-B HVLP	1 liter Alum.	$268.95
SAT-70961	1.7mm KLC-B HVLP	1 liter Alum.	$268.95

SATA • SATAminijet® 4 HVLP

Small Dimensions - Great Performance

- NEW: Round/flat spray control adjustable from both sides is optimal for left and right handed painters
- QC quick cup connector system
- QC quick change air cap for easier cleaning
- Nine nozzle choices including the new wide 1.4SR
- Precise color matching with patented airflow principle



Model	Size	Price
SAT-128512	0.8mm 150 ccm Alum. Cup	$298.00
SAT-128520	1.0mm 150 ccm Alum. Cup	$298.00
SAT-128538	1.1mm 150 ccm Alum. Cup	$298.00
SAT-128496	Minijet 4.0 1.0 tip w/Alum. Cup	$298.00

SAT-130146 • adam® Digital Micrometer

- **A**dditional **D**igital **A**ir **M**icrometer
- Easily mounts to almost any SATA spray gun
- Digital display accurate to less than 1 psi
- Shatter proof and suitable for gun washers
- Special model for SATAminijet versions
- Lightweight and small – very ergonomic

$189.00

Easily adjusted, just a turn of the micrometer

Also Available:
SAT-130278 • adam® Mini Digital Micrometer $189.00

SAT-134544 • SATAgraph 1 with 2.5ml Gravity Cup

- Starter model as gravity flow cup version
- Double action system: completely separate air and material control by the trigger
- Easy Handling
- Detachable, screwed cup to apply very small quanities



$212.50

Also Available:
SAT-134569 . . . . . $379.25
SATAgraph 3 with 2.5ml Gravity Cup



SATA

BODY WORKS PLUS

ATD-8209
Four Braid Air Hose - 3/8" ID x 25'

- 4 spiral reinforcement
- Working pressure 300 psi
- Featuring vinyl guard ends
- Won't scratch car finishes
- 2 year, 100% warranty against defects in material and workmanship

Also Available:
ATD-8210 • Four Braid Air Hose - 3/8" ID x 50' . . . $36.99

$21.50

MADE IN USA

ADVANCED TOOL DESIGN

DEV-HA5867

DEV-HA5867
35 ft., 3/8"Air Hose
3 pc. Reusable Assembly

- Can be used for all kinds of air-operated equipment
- Smooth brick-red cover, synthetic rubber compound tube with high tensile strength braid
- Hose offers superior resistance to oil, weathering, ozone and abrasion. Can be used with reusable or permanent crimp connections
- Maximum application temperature: 150ºF
- Air Hose Assembly includes HC-4719 High Volume Air Quick Disconnect and HC-4419 Stem

$77.55

Also Available:
DEV-HA5835 • 35 ft. Air Hose Assembly $58.45
DEV-HA5850 • 50 ft. Air Hose Assembly $79.55

DEVILBISS AUTOMOTIVE REFINISHING

Milton • New Safety Couplers

- Designed to prevent accidental disconnect
- Reduces possibility of damage to property or personal injury
- Double click to engage properly:
  First click lock coupler and plug;
  Second click engages the air pressure
- To disconnect push the button twice:
  First push relieves the air pressure;
  Second push disengages the plug from the coupler

NEW

Also Available:
MILTON INDUSTRIES, INC.
MIL-S99705
"M" Style 1/4" NPT Female Push Button Safety Coupler $12.99
MIL-S99706
"M" Style 1/4" NPT Male Push Button Safety Coupler $12.99
MIL-S99773
"A" Style 1/4" NPT Female Push Button Safety Coupler $13.38
MIL-S99774
"A" Style 1/4" NPT Male Push Button Safety Coupler $13.38

ATD • Paint Gun Cleaning Kit

ATD-6848 . . . . . $25.50
This 7-piece kit contains brushes which can be used to easily remove paint from spray guns and cups.
Kit includes (7) brushes of various sizes.

ATD-6618 . . . . . $8.51
This kit contains over 20 tools which can be used to easily remove paint from spray guns and cups.
Kit includes (1) long handled angle wire brush, (1) long handled straight wire brush, (2) medium sized brushes, (5) fine brushes, (2) xacto blade handles, (6) fine points, (1) plastic handled toothbrush, (3) detail brushes and (1) bottle of cleaning solution.

ATD-6861 • Gravity Feed Spray Gun Holder

- Allows painter to fill gravity feed gun without assitance. Also a convenient holder for paint gun between jobs.
- Can be mounted to bench or wall

$12.15

ADVANCED TOOL DESIGN

FPR-6100-1 • Gun Wash Cleaner, 1-Gallon

- 100% Virgin Solvents
- Cleans all types of spray guns
- Effective on tough urethane paints
- Available in 1 and 5 gallon containers

$18.33

FINISH PRO™

DEV-HAV501 • Air Adjusting Valve with Control Gauge

- Provides finer air control at the gun
- Swivel top allows for fast and easy installation
- Pressure range from 0 to 175 psi

DEVILBISS AUTOMOTIVE REFINISHING

$20.70

SAT-27771 • Air Micrometer with Gauge

- Easily adjusts air pressure to the material and object
- Especially suitable for design work and blending
- Mounts directly to paint gun
- Allows direct reading of air pressure at the paint gun
- Gauge pressure range 0-145 psi
- Maximum pressure drop is 3 psi



$64.50

SATA

ATD-6753 • 1/4" Air Regulator with Control Gauge

Adjusts air pressure at the air tool

- Ideal for spray guns to avoid costly painting errors such as poor color match, runs, poor coverage, orange peel, etc.
- With accurate 0 to 160 psi gauge
- Air inlet 1/4" NPT - Air outlet 1/4" FPT, swivel fitting

ADVANCED TOOL DESIGN

$10.39

SHA-2210 • Air Adjustment Valve with Gauge, 24AAV

- Includes pressure gauge that reads up to 160 psi
- Can be used on HVLP spray guns
- Air inlet 1/4" npsm(m), Air outlet 1/4" npsm(f) swivel nut

SHA-2210

SHARPE

$22.15

ATD-6926 • Locking Air Regulator

- 1/4" Fittings • 4.7 SCFM Max Flow
- Operating Temp. Range: 41° - 140° F
- Adjustment Range: 0 – 150 psi
- Locking Adjustment Knob • Pressure Gauge

ADVANCED TOOL DESIGN

$23.98

Quick Ship:
Inventory Is Currently in Stock and Can Ship Within 24 to 48 Hours of Order!

Ingersoll Rand

IRR-TS7N7.5

IRR-TS10E10

IRR-TS7F12.5G

ELECTRIC-DRIVEN TWO-STAGE SERIES

Ingersoll-Rand, the world leader in air power, brings industrial class two stage compressors to automotive applications. Featuring an all cast iron pump, with splash lubrication for efficient operation and easy serviceability, this new range delivers non-stop performance and reliability for commercial or automotive service applications.

TS Series compressors have been designed to generate maximum air output at 175 psi, with more than 15,000 hours durability. IR backs the TS Series with a comprehensive 2-year warranty when used with approved All Season Select lubricant.

- 100% cast iron cylinder head with deep groove directional cooling fins
- Oversized industrial grade bearings for extended pump life
- High efficiency inlet air filter with sound attenuation baffles
- High efficiency stainless steel valves
- High efficiency intercooler
- 100% cast iron pump
- Automotive style 2 piece connecting rods
- Balanced pistons for maximized efficiency and minimized vibration
- Oversized cast iron balanced belt wheel to allow continuous duty operation

MODEL	HP	TANK SIZE	ACFM @ 175 psi	MAX MAX psi	OUTLET	WEIGHT	PRICE
IRR-TS51N5	5	80-Gal (Verticle)	17	175	1/2"	490	CALL FOR PRICE
IRR-TS7N7.5	7.5	80-Gal (Verticle)	25	175	3/4	550	CALL FOR PRICE
IRR-TS10E10	10	120-Gal (Horizontal)	35	175	3/4	650	CALL FOR PRICE

PORTABLE GASOLINE DRIVEN AIR COMPRESSORS

Each package includes a two-stage, 100% cast iron compressor pump, gasoline engine with electric start, standard gas engine drive controls. Packages are mounted on a 30 gallon horizontal air receiver tank.. ACFM: 25 @ 175 psi, Maximum pressure: 175 psig.

MODEL	HP	OUTLET	WEIGHT	PRICE
IRR-TS7F12-5G	12.5	1/2"	414	CALL FOR PRICE

COMPLETE TWO-STAGE COMPRESSOR PACKAGE

Includes the IRR-2475N7.5 Compressor PLUS: An aircooled aftercooler, automatic start and stop control, low oil level shutdown switch, and automatic drain valve.

IRR-TS7N7.5FP - CALL FOR PRICE

ATD-7815 • Automatic Tank Drain

- Automatically drains filters, compressors tanks, drip legs, aftercoolers, and receivers
- Can be set for manual operation or the drain interval and duration times can be preset
- Opens and closes valves in 1 to 60 minute cycle times and 1 to 30 second blow down time
- Includes Y-strainer
- Voltage115/1/60, 25 amps



ADVANCED TOOL DESIGN

ITEM NO.	NPT	OVERALL LENGTH	MAX. FLUID TEMPERATURE	MAX. OPERATING PRESSURE	AMBIENT TEMPERATURE	PRICE
ATD-7815	1/4"	3-15/16"	165°F	200 psig	35°F to 165°F	$142.90

Chicago Pneumatic Rotary Screw Air Compressors

CPC-QRS5.0HP-1 • 5 HP Single Phase Air Compressor

- 60 Gal, Quiet Rotary Screw
- 16.6 CFM @ MAX 150 psi pressure
- Super quiet, 62 DBA sound level
- Drop ship only!

CALL FOR PRICE

CPC-QRS5.0HPD-1 • 5 HP Single Phase Compressor w/Dryer

- 60 Gal, Quiet Rotary Screw W/ Dryer
- 16.6 CFM @ MAX 150 psi pressure
- Super quiet, 62 DBA sound level
- Drop ship only!

CALL FOR PRICE

American IMC Air Compressors



Electric Tank-Mounted Reciprocating Air Compressors

MODEL	MOTOR HP	VOLTAGE	STG	TANK (GAL.)	ELECTRIC STARTER	CFM DISPL	ACFM @100PSI	@175PSI	SHIPPING WEIGHT	PRICE	36 MONTH LEASE PRICE
IMC-4520CP	4.5	115-230-1	1	20CP	not required	11.30	6.80		134 lbs	$610.00	
IMC-218V	5	208-230/1	2	80V	not required	18.59	15.33	13.75	402 lbs	$1,229.00	$43.41
IMC-318VN	5	208-230/1	2	80V	not required	22.43	18.50	16.60	432 lbs	$1,555.00	$54.92
IMC-318VL	7.5	208-230/1	2	80V	included	32.52	25.25	22.28	484 lbs	$2,069.00	$73.08
IMC-5312HE	10	208-230-460/3	2	120H	included	44.49	37.23	35.37	791 lbs	$3,285.00	$112.91
IMC-6061V	6	208-230/1	1	60V	not required	16.80	12.35	130	320 lbs	$789.00	

Gasoline Tank-Mounted Reciprocating Air Compressors

MODEL	ENGINE HP	ENGINE TYPE	STG	TANK (GAL.)	ELECTRIC STARTER	CFM DISPL	ACFM @100PSI	@175PSI	SHIPPING WEIGHT	PRICE	36 MONTH LEASE PRICE
IMC-3G3HH	11	Honda	2	30H	Electric & Recoil	22.43	18.50	16.60	358 lbs	$2,225.00	$78.59
IMC-3G3HKL	12	Kohler	2	30H	Electric & Recoil	32.52	25.25	22.28	369 lbs	$2,055.00	$78.59

Regulations (Standards - 29 CFR)
Hand Protection - 1910.138

1910.138(a)
General requirements. Employers shall select and require employees to use appropriate hand protection when employees' hands are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; punctures; chemical burns; thermal burns; and harmful temperature extremes.

MFX-SU690 • Supreno® SE Powder Free Nitrile Exam Gloves, Medium

- A comfortable nitrile examination glove formulated for superior strength and durability
- Greater strength than nitriles of the past, true-fitting, won't fatigue hands over long periods of wear
- "The painters' choice" - Nitrile gloves are more chemical and cut resistant than latex hand protection
- Fully textured for a better grip

MODEL	SIZE
MFX-SU690M	Medium
MFX-SU690L	Large
MFX-SU690XL	X-Large

100% SYNTHETIC POWDER-FREE

MFX-SG375 • SafeGrip™ Powder-Free Latex Gloves, Medium

- The SafeGrip™ glove provides increased protection in hazardous environments
- Extended, beaded cuff for greater protection over the wrist and arm - it's average 16 mil thickness at the fingertips is more than five times the American Society for Testing and Materials (ASTM)* standard

TEXTURED POWDER-FREE

MODEL	SIZE
MFX-SG375M	Medium
MFX-SG375L	Large
MFX-SG375XL	X-Large

MICROFLEX®
THE MOST TRUSTED NAME IN GLOVES®

Regulations (Standards - 29 CFR)
Eye and Face Protection - 1910.133

1910.133(a)(1)
The employer shall ensure that each affected employee uses appropriate eye or face protection when exposed to eye or face hazards from flying particles, molten metal, liquid chemicals, acids or caustic liquids, chemical gases or vapors, or potentially injurious light radiation.

1910.133(b)(1)
Protective eye and face devices purchased after July 5, 1994 shall comply with ANSI Z87.1-1989

UVX-S135 • Black Frame, Clear Lenses

- Contemporary, lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Adjustable temple length
- Frame colors: Patriot, Blue and Black
- Wide variety of lens tints available include: Traditional, SCT®, and Infradura® welding shades

$6.90

Also Available:
UVX-S129 • Blue Frame, Clear Lenses $6.90

UVX-S3203 • Genesis® Safety Glasses, Amber

- Dual 9-base "wrap-around" lens provides uncompromised peripheral vision and protection
- Soft flexible fingers adjust and conform to any nasal profile and minimize slippage
- Soft elastomer brow guard diffuses and deflects impact
- Frame colors: Black, Earth, Vapor Blue, and Patriot® RWB
- Lens tints: Clear, Amber, Espresso, Gold Mirror and a variety of SCT® and welding lens tints
- Meets Mil V0 ballistic test for impact

$10.66

Also Available:
UVX-S3200 • Standard Black, Clear Lenses $8.39

UVX-S8500 • The UVEX Bionic® Shield

The Uvex Bionic Shield redefines a higher level of technology in the faceshield category. With over 15 design patents pending, the Uvex Bionic Shield revolutionizes the safety market. Its advanced ergonomic design combines superior protection and all-day comfort with the kind of easy-to-use features that workers desire.

$49.50

- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easily replaceable visor with dual position choices
- Secure visor attachment
- Lightweight and balanced, ergonomic design for extended use
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Black matte finish
- Comfortably worn with most goggles and respirators
- Faceshield offers secondary protection and must be worn with spectacles or goggles
- Perfect for workers exposed to falling or flying objects, impact, chemical splash, and airborne debris
- Hardhat accessory is compatible with multiple hardhats, includingWillson® and most major competitor styles
- Leaves slots free
- Is 100% dielectric – and no metal parts

uvex®

3M-7190 • Belt-Mounted Powered Air Purifying Respirator (PAPR) Paint Spray Kit

- This NIOSH-approved respirator system includes a comfort belt-mounted PAPR assembly, breathing tube, lightweight headgear with wide-view lens and organic vapor/high efficiency cartridge
- It is ideal for use when you need mobility.

$1,335.00
36 Month
Lease Price $47.15

3M

Regulations (Standards - 29 CFR) Respiratory Protection - 1910.134

1910.134(a)(1)
In the control of those occupational diseases caused by breathing air contaminated with harmful dusts, fogs, fumes, mists, gases, smokes, sprays, or vapors, …..

1910.134(a)(2)
Respirators shall be provided by the employer when such equipment is necessary to protect the health of the employee. The employer shall provide the respirators which are applicable and suitable for the purpose intended.

1910.134(c)(1)
In any workplace where respirators are necessary to protect the health of the employee or whenever respirators are required by the employer, the employer shall establish and implement a written respiratory protection program with worksite-specific procedures.

3M-7192 • 3M Disposable Organic Vapor Half Facepiece Respirator Assembly

- P95, Medium
- 3M recommended for spray paint applications in the automotive aftermarket, with maintenance free design for convenience
- Designed to be a truly maintenance free style respirator which is discarded when the organic vapor cartridges are spent
- Includes the Maintenance Free Half Facepiece Respirator 3M-7192 with permanently attached organic vapor cartridges, 1 pair of filter retainers 3M-7054, and 1 pair of P95 filters 3M-7194

$19.25

Also Available:
3M-7193 • 3M Disposable Organic Vapor Half Facepiece Respirator Assembly $19.25
- P95, Large

3M

3M-7048 • Particulate Respirator N95

- NIOSH 42CFR84 approved
- Recommended for grinding, sanding and buffing
- NIOSH certified as 95% efficient in removing solid and liquid particles (excluding those containing oil)

$19.95

3M-7185 • Particulate Respirator, N95

- Designed for use in grinding, sanding and buffing applications
- Lightweight, two-strap filtering facepiece respirator with exhalation valve for cool comfort and an adjustable nose clip
- Provides excellent protection

$18.98



3M

JUSTRITE • 2 Door Manual Safety Cabinets

- OSHA Compliant, meet NFPA Code 30, and are independently tested and approved by FM
- Double wall construction with 1.5" insulating air space, Sturdy 18-gauge steel, welded for strength, long life and greater fire protection, 2" leak-proof sill to capture spills, Durable lead-free powder paint finish, inside and out, for maximum chemical resistance
- Quality back by exclusive 10-Year Warranty!

JUS-25300

JUSTRITE

Model	Size	Price
JUS-25300*	44"H X 43"W X 18"D – 1 Adjustable Shelf	$619.00
JUS-25450*	65"H X 43"W X 18"D – 2 Adjustable Shelves	$699.00
JUS-25600*	65"H X 34"W X 34"D – 2 Adjustable Shelves	$845.00

* Drop ship only.

JUSTRITE • 2 Door Self-Close Safety Cabinet in Yellow

Model	Size	Price
JUS-25302*	44"H X 43"W X 18"D – 1 Adjustable Shelf	$753.00
JUS-25452*	65"H X 43"W X 18"D – 2 Adjustable Shelves	$835.00
JUS-25602*	65"H X 34"W X 34"D – 2 Adjustable Shelves	$999.00

* Drop ship only.

JUSTRITE

Regulations (Standards - 29 CFR) NFPA 30 - Flammable and Combustible Liquids Code

Scope
This code shall apply to the storage, handling, and use of flammable and combustible liquids, including waste liquids, as herein defined and classified.

Purpose
The Purpose of this code shall be to provide reasonable requirements for the safe storage and handling of flammable and combustible liquids.

JUSTRITE • Safety Storage Containers

Oily Waste Cans for General Use

All Feature:
- Galvanized steel body construction
- Durable powder paint finish
- Foot Operated Cover

JUSTRITE

Model	Description	Outer Dimensions	Color	Approval Listing	Price
JUS-09100*	6 Gal. Oily Waste Can	11-7/8" x 15-7/8"	Red	FM/UL	$56.75
JUS-09101*	6 Gal. Oily Waste Can	11-7/8" x 15-7/8"	Yellow	FM/UL	$56.75
JUS-09300*	10 Gal. Oily Waste Can	13-15/16" x 18-1/4"	Red	FM/UL	$64.95

* Drop ship only.

POLISHERS

DWT-DW849BG
1000/3000 RPM 7"/9" Buffmaster™ Polisher With FREE Bag and Gloves

- Powerful, 8.0 Amp 120V AC/DC, all ball-bearing construction for long life
- Electronic module maintains specified speed even under load
- Conveniently-located variable speed dial lets user set maximum speed from 1,000 to 3,000 RPM for different materials and applications
- Variable speed trigger allows user to instantly control speed from 0 to dialed setting
- Heat-treated, precision-cut gears for smooth operation
- External brush caps for easy servicing
- Spindle lock for easy pad changing
- Includes: 2 position side handle, rubber backing pad, clamp nut
- Comes with **FREE** Work Gloves and Bag

$206.50

DEWALT
High Performance Industrial Tools

ATD-10511 • 7" Shop Polisher

- 11 Amps, 1,000 to 3,000 RPM
- On/Off Trigger, Dial Speed Control
- Slow Start, Weighs only 7 Lbs!
- Adjustable side and "D" handles positioned for left or right handed use
- 1 Rubber Pad; 1 Velcro Pad
- Extra Set of Brushes

$79.95

ADVANCED TOOL DESIGN

MKT-9227CX3 • Electric Sander-Polisher

- Variable speed (600-3,000 RPM), with pre-set speed setting dial
- Lock-On button, 10 amps, Length: 18-1/2"
- Makita Compounding Bonnets
- Makita 21" Heavy duty tool bag
- Makita Polisher Side Handle
- Includes **FREE** 21" Bag, Compound Pad and Polishing Pad

$222.50

Makita
POWER TOOLS FOR THE LONG RUN

IRC-3129K • Mini Polisher Kit

Kit Includes:

1- **IRC-3129** Mini Air Polisher
1- 3" Hook and Loop Backer Pad
1- 3" Hook and Loop Wool Pad
1- 3" Hook and Loop Compounding Pad
1- 3" Hook and Loop Polishing Pad
1- Tool tray for storage

$143.75

Ingersoll-Rand

CPT-7201P • Mini Disc Polisher Kit

- 3" backing pad
- 3 types of polishing pads: hard, soft pads and a polishing bonnet
- 3500 RPM
- Rubber molded palm grip
- Two-finger throttle
- Adjustable speed regulator



$107.95

COLEMAN • Waxers/Polishers

TPI-PMD7281 • 10" Waxer/Polisher

- Wheel-shaped handle for maximum control

Includes:

- 2 buffer bonnets: (1) Synthetic wool for polishing
- (1) Terry cloth for buffing

$31.50

AST-1220 • Complete Surface Prep Kit

With Composite Body 90° Angle Die Grinder and Surface Prep Pads

- Ideal for cleaning and polishing engine heads and detail sanding
- Weight: 3 lbs.

Kit Includes:

1 - 1/4" 90° Angle grinder with composite handle (**AST-1240**)
5 - 2" surface prep pad w/ holder
5 - 3" surface prep pads w/ holder
1 - spanner wrench,
1 - 1/8" collet, 10 pc Stone Assortment

$74.95

Also Available:

AST-2010 • Same kit as above with a 90° Angle Grinder (T20AH) $75.99

IRC-3103K • Mini Surface Prep Kit

Kit Includes:

- 1 - **IRC-3103** Mini Air Surface Prep Tool
- 1 - 2" Backer Pad
- 1 - 3" Backer Pad
- 2 - 2" Surface Prep Discs (Med)
- 2 - 2" Surface Prep Disc (Coarse)
- 2 - 3" Surface Prep Disc (Med)
- 2 - 3" Surface Prep Disc (Coarse)
- 2 - 2" Sanding Disc (80 Grit)
- 2 - 3" Sanding Disc (80 Grit)
- 1 - Tool tray for storage

$124.45

Ingersoll-Rand

CPT-7202D • Mini Disc Sander Kit

- Handle exhaust
- 1.5 lbs.
- 15,000 direct drive

Kit Includes:

10 x 3" 80, 100 & 120 grit paper
1 x 3", 2 x 3", 3 x 3" surface prep pads

- Rubber Molded palm grip
- Two-finger throttle
- Adjustable speed regulator
- Silenced handle exhaust
- Small and lightweight

$105.95

Get a deep, glossy shine that lasts up to 6 months!

LORD Fusor™ Tire Shield Kit

Delivers professional, long-lasting tire protection.

New from LORD! Originally developed to meet the demanding needs of the aerospace industry and other tough applications, LORD Fusor 250 Tire Shield Kit is ideal for the automotive market. **Now available EXCLUSIVELY at your Fusor Jobber.**

LORD Fusor 250 Tire Shield Kit

- **Gives Tires a High-Gloss "Wet" Look**
- **Extends Sidewall Life – Reduces Dry Rot of Tires on Stored Vehicles**
- **Adds a Protective Surface to Tires – Resists UV Damage, Discoloration and Cracking**
- **Delivers High Performance in a Non-Silicone Treatment – Won't Fling Off**

The kit includes everything you need for the easy, two-step process to clean and prepare tire surfaces for bonding. It protects tires with a long-lasting, glossy black coating that lasts up to 6 months.

www.lord.com/sa3041

Fusor and "Ask Us How" are trademarks of LORD Corporation or one of its subsidiaries.
©2006 LORD Corporation SA3041 Printed in USA

LORD Ask Us How™

MGL-M0016
Hi-Tech Wash, 16 oz.

- Hi-Tech Wash gently foams away dirt and grime from any finish
- Detergent free formula is the perfect lubricant for use with Unigrit sanding products - simply add water

MGL-M0116
Medium-Cut Cleaner, 16 oz.

- Moderately abrasive cleaner that removes medium defects, including swirls, water spots and water sanding marks
- Diminishing Abrasives™ cut quickly, then reduce to a polishing rouge, while Buffered Abrasive™ action lubricates the finish to prevent scratching

MGL-M0616
Professional Cleaner Wax, 16 oz.

- Single step to brilliant protection
- The right wax for many users is one that cleans, polishes and protects all in one simple step
- Applied by hand or machine, it removes light oxidation and lays down an extremely durable high-gloss finish
- Made For Professionals

MGL-M0916
Swirl Remover, 16 oz

- Cleaner and a polish in one bottle
- Will carefully eliminate those annoying problems-whether applied by hand, or using a machine buffer/ polisher
- Even formulated to reduce splatter and make application and wipe-down easier
- For use by hand, orbital buffer, dual action polisher or rotary buffer

MGL-M0316
Machine Glaze, 16 oz.

- Lets you achieve a deep, rich gloss unmatched by any other polish, glaze, wax or sealant
- Rich nutrients penetrate and revitalize all paint finishes, as well as fiberglass and plastic
- Buffing residue wipes off easily to reveal the original brilliance and clarity of your finish
- For use with a rotary buffer only

MGL-M2616
Hi-Tech Yellow Wax, 16 oz.

- Unique professional-grade formulation blends premium yellow Carnauba wax with silicones, polymers and other specialty waxes It provides maximum high gloss protection while it actually deepens your paint color

MGL-M3416
Final Inspection, 16 oz.

- Special high-lubricity formula actually encapsulates dust particles and enhances deep lustre-without using water. In just minutes, you'll have a shimmering gloss that will turn heads. Final Inspection is perfectly safe for all paint finishes



MGL-M4016
Vinyl & Rubber Cleaner/ Conditioner, 16 oz.

- A complex formula that cleans, penetrates and rejuvenates vinyl and rubber surfaces
- Durable protection that screens out damaging ultraviolet rays
- Restores life and color
- Leaves a rich, natural sheen, unlike the shiny synthetic coating of simple protectants

FINISH PRO™
HS Acrylic Lacquer, Primer Surfacer

Can be top coated with lacquer, enamel or urethane (sealer required) systems

- 2:3 mix ratio
- High solids formula
- Offers exceptional filling qualities and color holdout
- Sands easily with minimal shrinkage

AVAILABLE IN "HOT ROD" BLACK

Item No.	Description	Size
FPR-7501	HS Acrylic Lacquer Primer Surfacer, Gray	Gallon
FPR-7504	HS Acrylic Lacquer Primer Surfacer, Gray	Quart
FPR-7511	HS Acrylic Lacquer Primer Surfacer, Red Oxide	Gallon
FPR-7514	HS Acrylic Lacquer Primer Surfacer, Red Oxide	Quart
FPR-7521	HS Acrylic Lacquer Primer Surfacer, Black	Gallon
FPR-7524	HS Acrylic Lacquer Primer Surfacer, Black	Quart

FPR-7601 • 2K Urethane Primer Surfacer, Buff, 1-Gallon

- 2K Urethane Primer Surfacer is a high quality two component primer surfacer. It is a high film build primer surfacer formulated for a wide range of applications
- Provides quick and easy sanding with exceptional holdout
- Two Component – 4:1 mix ratio
- High film build formula
- Offers exceptional filling qualities and color holdout
- Dries fast and sands easily with minimal shrinkage

Also Available
FPR-7611 • Gray, 1-Gallon
FPR-7624 • 2K Urethane Activator, 1-Quart

FPR-7801 • ZIP CURE Production Primer, 1-Gallon

- ZIP CURE Production Primer is a high quality two component primer surfacer. It is a FAST high film build primer surfacer that can be applied direct to metal. ZIP CURE provides superior sanding, flow and leveling. It is the primer of choice for shops that have to get repair jobs in and out FAST!
- Can Sand in 45 minutes!
- 4.4 V.O.C. - 4:1 mix ratio
- FAST dry for quick cycle time
- Easy direct to metal application
- Offers exceptional filling qualities and color holdout
- Fast high film build

Also Available
FPR-7814 • 1-Quart

FINISH PRO™ • Lacquer Thinners

- 100% Virgin Solvents
- For cleaning tools and paint equipment
- Available in 1, 5, 16 and 55 gallons

Item No.	Size
FPR-5000-1	1 Gallon
FPR-5000-5	5 Gallons
FPR-5000-55	55 Gallons

FPR-5801-1 • Fast Urethane Grade Reducer, Gal.

- 100% Virgin Solvents
- Fast evaporating (60°F - 70°F)
- For paints, clears and primers
- Available in 1 and 5 gallon containers

Also Available
FPR-5803-1 • Medium Urethane Grade Reducer, Gal.
FPR-5805-1 • Slow Urethane Grade Reducer, Gal.

FPR-6000-1 • Wax & Grease Remover, Gal.

- 100% Virgin Solvents
- Removes wax. grease, tar, road film, and Silicone
- Safe on all surfaces

Can be used as a final wipe, too!

Also Available
FPR-6000-5 • 5 Gallon Container

FINISH PRO™ • Aerosols

FPR-143 • Trim Black, 20 oz.

A specially formulated, self-etching coating for the restoration of auto trim, bumpers and wheels back to O.E.M. appearance. This formulation provides fast coverage and fast drying with minimal surface preparation.

- Professional Formulated
- Designed to match window trim, plastic and rubber parts
- Excellent Adhesion
- Tough and Flexible

FPR-155 • High-Build Primer Surfacer, 20 oz.

A 1K High Build/Primer filler designed to fill uneven surfaces, minor scratches, and sanding scratches prior to top coating. This formulation is fast drying and easy sanding. You'll experience superior film build thickness similar to a primer applied with a spray gun.

- Superior Film Build
- Easy Sanding
- Fast Drying
- Color: Gray

FPR-158 • Self-Etching Primer Surfacer, 16 oz.

A convenient to use etch primer designed to provide excellent adhesion for additional top coats, primers, and sealers to bare metal. This formulation can be applied to steel, aluminum and most metals.

- Excellent Adhesion to Steel, Aluminum, and Stainless Steel
- Provides Corrosion Protection
- Color: Gray

FPR-190 • Clear Shot Ultra-High Build Clearcoat, 20 oz.

A ready to use, ultra high gloss, clearcoat in an aerosol can. Clear Shot is ideal for spot repairs, door jambs, under hoods and spray out panels. This formulation provides excellent build with a UV resistant durable finish that, once cured, has a mirror image depth.

- Ideal for spot repair and door jams
- Fast Drying
- High Gloss

What Matters Most Is Finish

LORD Fusor® Metal Adhesives

OEM Approved and Aftermarket Guaranteed

LORD Fusor 108B Metal Bonding Adhesive (Medium)
LORD Fusor 110B Metal Patch Panel Adhesive Bondline Control (Fast)
LORD Fusor 112B Metal Bonding Adhesive (Slow)

- The ONLY metal bonding adhesives that require no welding and offer a lifetime corrosion guarantee
- OEM approved - more OEM approvals than all competitive products combined
- Reduce Cycle Times - the fastest de-clamp time in the industry
- Easy to use - contains glass beads for exact bondline control
- Economical - requires up to 67% less adhesive than competitive products - 1 bead versus 3 beads

FREE 500 LB. PORTA BENCH WITH THE PURCHASE OF 6 TUBES

www.lord.com/sa3042

Fusor and "Ask Us How" are trademarks of LORD Corporation or one of its subsidiaries.
©2006 LORD Corporation SA3042 Printed in USA

LORD Ask Us How™

FUS-100EZ • EZ Plastic Body Repair Adhesive - 10.1 oz.

- Heat-set
- Substrates: High performance repair material for structural and cosmetic repair of all types of rigid body plastics
- Applications: Structural and cosmetic repair of body panels, hoods, decks and doors
- Easily sands to a feather-edge to provide undetectable, super smooth cosmetic repairs of SMC, fiberglass and GTX

FUSOR AUTOMOTIVE REPAIR ADHESIVES

FUS-147 • Structural Urethane Installation Adhesive (Medium-Set), 10.1 oz.

Substrates:
- Installation and bonding of SMC, fiberglass, and painted and primed metal

Applications:
- Installation and bonding of body panels,spoilers and large ground effects
- High strength
- Easy to gun, non-sag formula

Also Available:
FUS-148 • Medium-Set, 1.7 oz.

FUS-114 • Finishing Adhesive, 5.1 oz.

- New, innovative cartridges - no special gun needed
- Hand dispensed or convenient caulking gun application
- No mixer is needed
- Excellent feather edging
- Sandability is similar to that of polyester body fillers
- Fast setting
- No surface modifier required

FUSOR AUTOMOTIVE REPAIR ADHESIVES

FUS-123 • Factory Match Catalyzed Seam Sealer - 10.1 oz.

- Fast-set, non-sag formula
- Substrates: Can be used over epoxy and urethane primers
- Applications: Duplicating factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and any other application in which a non-sag cosmetic seam sealer is required
- Sets in 10 minutes

Also Available:
FUS-123EZ • Medium-Set

FUSOR AUTOMOTIVE REPAIR ADHESIVES

FUS-804 • Seam Sealer & Sound Deadener, 10.5 oz.

- Substrates: Any scuffed primed surface including metal and SMC/Fiberglass
- Applications: Create flexible textured seams including floor pan seams, trunk pan seams, strut tower seams, exterior and truck box seams. Restore rocker panel chip guard texture and trunk area texture. Duplicate OEM sound deadening material on interior surfaces of floor plans.
- Gray in color
- Creates OEM textured seams
- Deadens sound
- Paintable immediately or within four days
- Solvent-free
- Remains flexible

Also Available:
FUS-805 • Wheel House Textured Coating and Sealer

FUSOR® • Factory Match Urethane Sealer/Adhesive

- Substrates: Bonds to all primed or painted metals and most automotive plastics
- Applications: Duplicating factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and any other application in which a non-sag cosmetic seam sealer is required
- Permanently flexible, non-sag formula

Model	Description	Color
FUS-800	10.3 oz. aluminum caulk tube	Neutral
FUS-801	10.3 oz. chubs	Neutral
FUS-803	10.3 oz. aluminum caulk tube	Black

BODY WORKS PLUS

ATD-6560
18" Masking Machine

- Includes bars for 2 paper rolls and 4 tape rolls
- Large adjustable washers maintain paper alignment
- Wing nuts for easier paper loading
- Sharp, anodized blade for smooth cutting
- Large storage tray on bottom for tools
- Sandpaper tray on side and bar for holding spray gun

$83.95

ATD ADVANCED TOOL DESIGN

KEY-78007
Multi Roll Masker

- "Tool-less" paper loading – no tools necessary to load paper
- Dual metal tape dispensers
- Sturdy one piece cutting bar
- Notched tubular design for added strength
- Narrow profile (22") to roll between cars in shop
- Holds up to 2 rolls of 18" paper and two rolls of 12" paper or smaller

$169.95

KEYSCO TOOLS

KEY-78001
12" Masker

- Lightweight – Uses very little floor space
- Use "Add-A-Roll-Kit" for two rolls of smaller paper

$49.95

Also Available:
KEY-78002 • 18" Masker. $52.85

KEYSCO TOOLS

USC-36112 • Shark Skin™ - 12' x 400' Roll

- Increases masking efficiency and reduce cost
- Tremendous paint anchorage
- Super cling sheeting "grabs the surface" of hulls
- Extra wide widths - Marine is 20 ft. wide
- Solvent resistant
- Protection for indoor storage of molds, plugs and finished part

Also Available:
USC-36114 • 14' x 350' Roll
USC-36115 • 16' x 350' Roll
USC-36117 • 20' x 350' Roll

USC

USC • Polycoated "Blue" Masking Paper

- Tough, film-bonded paper stops penetration from urethane paints, solvents and water
- Blue color for better natural light reflection in both indoor and outdoor paint application
- Wet sand without having to remask
- Polyfilm on outside for lint-free, water-resistant surface

USC

Available Sizes:

Item No.	Size	Units Per Case
USC-38006	6" x 750'	6 per case
USC-38012	12" x 750'	3 per case
USC-38018	18" x 750'	2 per case
USC-38036	36" x 750'	1 per case

RBL PRODUCTS • AutoMask Roll-on Dispenser

Lint free! Eliminates risk of masking paper fiber contamination.

- Anti-static
- Ultimate solvent bleed-thru resistance
- Resists heat up to 230°F (110°C)
- Completely waterproof
- AutoMask and Supersized AutoMask Plastic Film is recyclable

Available Sizes:

Item No.	Size
RBL-101	21" x 115' Roll-on Dispenser
RBL-102	21" x 115' Refill Roll
RBL-103	43" x 115' Roll-on Dispenser
RBL-104	43" x 115' Refill Roll
RBL-108	72" x 115' Roll-on Dispenser
RBL-109	72" x 115' Refill Roll

RBL PRODUCTS, INC. Concepts That Excel

FINISH PRO™ • Premium Urethane Grade Papers - White

- Available in, 6", 12", 18" and 36" widths
- Bleed-Thru Resistant
- Flexible/Conformable
- Premium Performance

FINISH PRO™



Available Sizes:

FPR-3206	6" width x 750' length
FPR-3212	12" width x 750' length
FPR-3218	18" width x 750' length
FPR-3236	36" width x 750' length

FINISH PRO™ • HDPE Direct Spray Premium Plastic Sheeting

- HDPE Plastic - Strong and durable
- Corona treated - Paint sticks to film
- Clings to vehicle for one person application
- Available in 12", 14", 16", and 20"



Available Sizes:

FPR-2612	12" x 400' length
FPR-2614	14" x 350' length
FPR-2616	16" x 350' length
FPR-2620	20" x 350' length

FINISH PRO™

FPR-3022 • Disposable Wheel Maskers

- Made of Durable, Heavy-Duty Plastic
- Protects Car Wheels from Overspray
- Bag Design for Easy Application
- Box of 125



FINISH PRO™

SEM • QUICK SET

For All Your Bumper and Tab Repair Needs!

- Fast curing urethane adhesives designed for automotive plastic repair
- Excellent for repairing tabs and brackets as well as bonding most small plastic, metal and aluminum parts
- Non Sagging
- High Strength
- Fast Setting
- Urethane Technology

SEM

Available Products:

SEM-40202 • Quick Set 20, Opaque - 1.7 oz. Cartridge
SEM-40207 • Quick Set 20, Opaque - 7 oz. Cartridge
SEM-40502 • Quick Set 50, Black - 1.7 oz. Cartridge
SEM-40507 • Quick Set 50, Black - 7 oz. Cartridge

SEM-39337 • Non-Sag SMC Structural Adhesive

- A two-part, epoxy based product that provides tough, durable bonds even when dissimilar substrates are assembled such as plastic to steel
- The non-sag characteristic allows the technician to apply the material to a vertical surface such as the APV space frame

SEM-39537 • Weld-Bond Adhesive

- Used to replace automotive quarter panels, door panels, roof skins, box sides, van sides and other body sheet metal
- Welding is recommended
- Not designed for structural components such as rocker panels, rails or core supports

SEM

SEM-39747 • 2:1 Multi-Purpose Panel Adhesive

- Bonds steel, aluminum, SMC and fiberglass panels
- Saves time (cures in 24 hours and heat cures in one hour)
- Long shelf life
- Superior impact and peel strength
- Optimum work time (90 minute work time, 4 hour handling time)
- Exceeds FMVSS 301 requirements
- Glass beads for bondline control
- Provides corrosion protection



SEM-39907 • Non-Sag Backing Adhesive

- A two-part, epoxy based product
- Provides fast bonds for filler panels when repairing SMC or Fiberglass
- Works equally well with fiberglass cloth for reinforcing curved surfaces
- Quick Setting
- Excellent for bonding in numberious general service applications



SEM-39767 • Problem Plastic Repair

- Repairs EPDM, TPO, PP and other problem plastics
- Working time: 3-5 minutes
- Sand time: 15-20 minutes
- Bonds to polypropylene, EPDM, TPO and similar substrates
- Takes the "problem" out of plastic repair
- 7 oz. cartridge



SEM-39377 • Seam Sealer

- A two-part, epoxy based, medium bodied product used for interior or exterior seams, joints, and voids
- Retains its flexibility and doe not shrink, harden, or crack
- Resists body vibration, adheres to clean, bare metal as well as primed or painted surfaces
- Spreads easily and can be sanded or painted in 30 minutes

SEM

Also Available:
SEM-39372 • 1.7 fl. oz.

DTF-DF-505
The Maxi Single Phase Dent Pulling Station

- This 220 volt single phase dent pulling station provides the technician with the power he needs to shrink, pull rocker panels, hail damage, creases, dents in hard to access areas. The efficiency of this tool increases the workers productivity while producing a cleaner, better repair. THE MAXI takes the idea of a stud welder much further, this versatile tool will:

- Weld pins
- Weld a slide hammer directly to the panel
- Weld a light pulling rod
- Weld wiggle wire for even crease pulling
- Weld a rod for leverage pulling
- Shrink metal

$990.00

Complete Kit Includes:
"The Maxi" 220 volt unit, two light pulling rods, two slide hammer rods with strike weight, stud pin electrode, shrinking electrode, wiggle wire weld tip, a nine and four finger "Bear Claw", 500 stud weld pins, 1 pound of wiggle wire, 21 feet of power cable, and nine feet of welding cable.

DENT FIX EQUIPMENT

DTF-DF-15DX • Spot Annihilator Kit

- This kit version of the DF-15 gives you the option of storing the ANNIHILATOR and your bits in a form fitted hard plastic carrying case
- Comes complete with the SPOT ANNIHILATOR, 1 in-line oiler, 1/ 10mm titanium coated and 2/ 8.0mm titanium coated drill bits

NEW

$445.00

DENT FIX EQUIPMENT

STK-20012 • Handy Bar

- High-strength, non-marring multi-purpose tool
- Use it to hammer out dents inside quarter panels, rear body panels and body lines, etc.
- Can be used to block doors and hoods



$14.95

STECK
Innovative tools and equipment

UNI-4500 • Uni-Spotter Starter Kit

- Stud Weld on High & Galvanized Steels w/ ease
- Grounded 3 Wire Cable
- 2 Year limited Warranty
- Easy to use POSI-CAM Slidehammer
- Built in Overload Protection

$213.25

H&S AUTO SHOT

UNI-5500 • Uni-Spotter Stinger

- Kit Contains: Stud Gun, Slidehammer, Stud Tip, Mold Rivet Tip, Shrink Tip, Eliminator, Mini Puller
- Included: Welding studs: Blackhead Studs, Flexpert Studs and Mold Rivets
- Packaged in custom molded toolbox

$359.95

H&S AUTO SHOT

MOT-JO1000 • Magna Spot 1000 Entry Kit

- Includes a slide hammer, stud electrode and 100 2.0 welding studs
- Lightweight and low heat transfer features

MOTOR GUARD CORPORATION

$209.95

STECK • Quarter Pullers

STK-20022 • Quarter Puller — **$48.25**

- Hooks above lip of the wheel opening
- Two unique curvatures (one each side) to fit most cars
- Easier and faster than clamps or jacks
- 3000 lb. max pull
- Features 12" long bars



STK-20033 • Quarter Puller II

- Hooks above lip of the wheel opening
- Two unique curvatures (one each side) to fit most cars
- Easier and faster than clamps or jacks
- 3000 lb. max pull
- Features 12" long bars

STECK
Innovative tools and equipment

$44.95

MCL-0800 • Tac-N-Pull with Pull Plates

- Great for hard to hold pulls
- Includes two 3" pull plates, two 1 1/2" pull plates, and two 1" pull plates

$79.95

MO CLAMP

MCL-1260 • Panel Gripper

- Flat jaws allow straight, wide grip of sheet metal with no distortion
- Right angle to pull - allows grasping lips on wheel wells, hoods, tops, floor pans, quarter panels and other similar wide sheet metal pulls
- New toothless design allows grabbing areas that will be exposed and leave no marks from aggressive tooth designs

$114.95

MO CLAMP

FIB-282 • Z-Grip® Premium Lightweight Body Filler, Gal.

The Body Filler for Today's High Tech Metals

- Excellent adhesion to galvanized steel, aluminum, E-coat and epoxy primers
- Part of the METALWORKS® system and contains ZNX-7
- Resistant to corrosion and helps maintain O.E.M. warranties

EVERCOAT® Fiberglass Evercoat

FIB-120 • Rage® Xtreme™ - Gallon

- The world's first truly pinhole-free premium body filler
- Technically-advanced, unique formula is self-leveling for easy spreading, reducing sanding time to remove heavy texture
- Easily sands with 80 grit sandpaper, eliminating the need for coarse grits that can cause sand scratch swelling
- Contains Evercoat® ZNX-7™ patented technology which quickly provides superior adhesion to galvanized steel and aluminum much sooner in the repair

EVERCOAT®

FIB-112 • Rage® Gold Premium Lightweight Filler, Gal.

- Contains ZNX-7 for superior adhesion to galvanized steel and aluminum
- Highest grade resin available, reduces risk of staining
- Mixes w/Evercoat glazing putties for custom filling
- Vacuum processed formula that virtually reduces pinholes

FIB-414 • Metal Glaze® OEM Premium

The first Finishing and Glazing Putty that meets and exceeds OEM corrosion specifications of 500 hours!

- Advanced formula meets and exceeds OEM standards of 500 hours corrosion resistance (ASTM B117)
- Easier sanding then original METAL GLAZE®
- Pinhole-resistant formula
- Higher viscosity providing one pass application
- Improved filling characteristics
- Improved sag resistance
- Backed by Evercoat's METALWORKS® System Limited O.E.M Warranty System!

Also Available:
FIB-413 • 24 oz. Tube

FIB-622 • Everglass® - Gallon

- Short strand, fiberglass reinforced body filler
- High strength, high build and waterproof which makes it excellent for repairing holes, rusted metal, body seams and shattered fiberglass
- Contains ZNX-7™ for superior adhesion and corrosion resistance to bare steel, galvanized steel and aluminum
- Blue cream hardener included

Also Available:
FIB-632 • Everglass®, Quart

FIB-633 • Fiber Tech™

- An innovative all purpose repair compound formulated with Kevlar® and other high tech fibers
- Its superior strength and adhesion is ideal for repairing SMC, rigid plastic body panels, i.e., ground effects, spoilers, running boards, fenders, hoods, etc.
- It also contains ZNX-7™ for superior adhesion to steel, galvanized steel and aluminum
- Blue cream hardener included

EVERCOAT®

FIB-869 • Kitty Hair® Specialty Filler- Gallon

- Best known for its bridging capabilities in rebudiling shattered fiberglass and for reinforcing torn or rusted areas of sheet metal
- Formulated with long strands of chopped fiberglass
- Double the strength of standard fillers
- Waterproof
- Rustproof
- Can be used with or without fiberglass cloth or mat
- Should be finished with Rage® and/or Metal Glaze®
- Blue cream hardener included

Also Available:
FIB-868 • Kitty Hair®, Quart

ATD-5825
5-Ton Flat Body Cylinder

- 1/4", 1/2", 1" and 1-1/4" magnetic height adapters included
- Base dimensions: 2.36" L x 1.58" W
- Collapsed height: 1.26"
- Ram stroke: .24"
- Meets ASME/ANSI B30.1 Standards
- Maximum working pressure: 10,000 psi or 700 BAR
- High strength steel construction guide ring to protect against side load damage
- For use with **ATD-5800** and **ATD-5810** body repair kits
- Hard chrome-plated plunger
- (2) base mounting holes
- Weight: 20 lbs.

$124.95

ATD-5802
5-Ton Pull Cylinder

- High strength steel construction
- Equipped with 2 pull hooks
- High life cycle, polyurethane seal
- Fits: 1/4", 5/16", 3/8" chains

$209.95

ADVANCED TOOL DESIGN

ATD-5800
4-Ton Body Repair Kit

Repair Kit Contains:
Hydraulic pump, ram, toe, plunger toe, serrated saddle wedge head, 90° V-base, male adapter, female adapter, storage case

$172.90

ATD-5810
10-Ton Body Repair Kit

Repair Kit Contains:
Hydraulic pump, ram, toe, plunger toe, serrated saddle wedge head, 90° V-base, male adapter, female adapter, storage case.

$269.00

ATD-5160 • Muscle Max 10 lb. HD Dent Puller Set

- HD blow-molded storage case
- 10 lb. hammer
- 2 pipes
- 1 - 2 hole pipe
- 1 hex nut
- 1 chain & hook
- 5 plates

$69.95

Also Available:
ATD-7541 • 5 lb. Dent Puller $10.49

- A dent puller/slide hammer with vinyl cushion
- Finger grip hang-up handle
- Puller comes with extra screws and hook for pulling bearings and seals
- Shaft 1/2 x 20 thread

SGT-81000 • Heavy Duty Slide Hammer

- "The Slugger" 10 lb. slide weight designed for in-line impact
- Balanced for continued use without fatigue
- Dual hammer action for reverse or direct reconstruction blows
- Quick assembly for applied hook-ups on fender edges, bumper ends, rocker panels, aligning doors and door edges, hoods and hood hinges, trunk and trunk hinges, headlights and many more applications

$133.50

Also Available:
SGT-81100 • The Slugger in a Tool Box $133.50

- An assortment of the most widely used Slugger pulling and pushing attachments packed in a handy metal box

TOOL AID® PROFESSIONAL AUTOMOTIVE TOOLS

SGT-81500 • Junior Slugger Slide Hammer Dent Puller

- The finest shop engineered heavy duty slide hammer with 3 lb. slide weight
- Features a soft vinyl "Hang-It" handle grip for easy storage and shock cushioning
- Total weight is 5 lbs.

$20.25

TOOL AID® PROFESSIONAL AUTOMOTIVE TOOLS

ATD-4034 • 7 Pc. Body and Fender Set

- Works great in dent removal and auto body work

The Set Includes:
1 bumping hammer,
1 pick hammer,
1 body hammer,
1 heel dolly, 1 universal dolly,
1 combination dolly, 1 spoon dolly all enclosed in a blow molded case.

$19.95

ATD-4033 • 3 Pc. Body and Fender Spoon Set

- Long handled spoon dolly: excellent framing and caulking tool for deep pockets of doors, panels, fenders and trunks
- Long curved spoon: long and thin carved blade for prying up dents
- Light dinging spoon: to ding ridges smooth and level

$31.99

STK-20000 • The Original Pull Rod Set

- Super tough alloy steel is precisely heat-treated for maximum strength
- Every Steck Pull Rod and Pick Pull is factory tested under a 500 pound (228 kg) load
- Vinyl coated handle is comfortable to use



STECK Innovative tools and equipment

$33.60

Rivet Guns

MAR-39000 • Marson Rivet Tool

- Sets up to 3/16" rivets
- Includes 4 nose pieces

marson

$33.60

MAR-39001 • Deluxe Riveter Kit

- Sets up to 3/16" rivets
- Includes 4 nose pieces and sample rivets

$49.95

MAR-39010 • "Big Daddy" Riveter

- Set 1/8" - 1/4" diameter rivets
- Includes 3/16" and 1/4" nose pieces
- Extra long handles provide excellent leverage

marson

$146.95



MAR-39054 • M-3 Air/Hydraulic Rivet Tool

The M-3 will set blind rivets from 1/8" diameter in all alloys, up to 3/16". Included with the M-3 are standard 1/8", 5/32", and 3/16" nosepieces, a service wrench, swivel inlet air coupler and a mandrel collection bottle. The recommended airline pressure is 85-95 psi.
Weight: 3.0 lbs.

marson

$225.00



MAR-39058 • M-4 Air/Hydraulic Rivet Tool

The M-4 is supplied with 3/32", 5/32" 3/16" and 1/4" standard nose pieces, service tools, swivel inlet air coupler and a mandrel collection bottle. The recommended airline pressure is 85-95 psi.
Weight: 6.2 lbs.

marson

$445.00

MAR-39202

MAR-39202 • Pro Thread Setter Kit

- Thread-Setter™ tool with case
- 8-32, 10-32 and 1/4-20 mandrels and nosepieces
- 12: 128-32 Thread Size • 12: 10-24 Thread Size
- 12:10-32 Thread Size • 8: 1/4-20 Thread Size
- Service tool

$89.50

MAR-39203 • Metric Nut Setter Kit

- Features 2" extended nose
- Set 1/8" - 1/4" diameter rivets
- Includes 3/16" and 1/4" nose pieces
- Extra long handles provide excellent leverage

$99.95

marson

KIL-ART12DX • Pneumatic Door Skin Tool Deluxe Kit

- Increased production
- Comes with air hammer
- Less painter preparation and less materials used
- Includes blow molded case, extra chisel, extra rubber dolly, and instructional CD

$306.00

DYN-18256 • DynaZip Air Tool Versa Kit

Excellent power and torque at 3,200 RPM for removal rust etc. Outperforms conventional spiral-wound wire wheels without clogging. Quick and easy accessory change. Tool duplicates sand-blasting effect without surface fatigue. Provides ultimate contour adaptation.

Kit Includes:

DYN-92245 3/4" Wire Wheel (Coarse)
DYN-92248 1/2" Wire Wheel (Coarse)
DYN-92250 1/2" Eraser Wheel
DYN-92252 1/2" Zip Hub
DYN-92253 3/4" Zip Hub

$365.00

Replacement Zip Wire Wheels

Model	Size	Grade	Band	Tip Type	Price
DYN-92245	4" dia. x 3/4" wide	Coarse	Green	Bent	$21.25
DYN-92246	4" dia. x 3/4" wide	Medium	Blue	Bent	$21.25
DYN-92247	4" dia. x 3/4" wide	Fine	Green	Straight	$21.25

Replacement Eraser Decal Removal Wheel

DYN-92250	4-1/4" dia. x 1-1/4" wide			Rubber	$31.38

DYN-18075 • Long-Neck Cut-Off Wheel Tool

- Easily access difficult-to-reach areas
- Extended design is advantageous over conventional cut-off tools allowing access to tight or confined areas
- 20,000 RPM with rear exhaust
- Accepts standard 3" wheels with 3/8" center hole
- Plenty of power for everyday shop tasks



$209.95

DYNABRADE

SUU-SX281 • Dual Head Punch/Flange Tool

- Meets ICAR Standard
- Both 3/16" (5mm) and 5/16" (8mm) Punch/Flange Heads included in one set
- Patented Punch/Flange Heads can be changed quickly and easily
- Punches steel and aluminum sheeting up to 2.0mm thickness
- Comfort grip sleeve for better control
- Convenient blow molded case for tool protection and storage
- Specs: Punch hole size 3/16" (5mm) and 5/16" (8mm); Air inlet 1/4" NPT; Min. hose size 3/8" I.D.; Recommended air pressure 90 psi; Avg. air consumption 0.25 @ 60 cycles/minute; Length 10" (255mm); Weight of tool 3.6 lbs.; Weight of kit 6 lbs.

$129.95

SUNEX® TOOLS

AST-1220 • Complete Surface Prep Kit

With Composite Body 90° Angle Die Grinder and Surface Prep Pads

- Ideal for cleaning and polishing engine heads and detail sanding
- Weight: 3 lbs.

Kit Includes:

1 - 1/4" 90° Angle grinder with composite handle (**AST-1240**)
5 - 2" surface prep pad w/ holder
5 - 3" surface prep pads w/ holder
1 - spanner wrench,
1 - 1/8" collet, 10 pc Stone Assortment

$74.95

Also Available:

AST-2010 • Same kit as above with a 90° Angle Grinder (T20AH) $75.99

AST-1232 • Pinstripe Removal Kit with Composite Handle

Includes:

- Pinstripe Removal Tool and 12 Smart Eraser® Pads
- Pinstripe Removal Tool developed for the removal of pinstripes
- Adhesive, double faced tape and molding with ASTRO's Smart Eraser® Pads
- Tool includes built in regulator
- Lightweight - reduces operator fatigue
- Spanner wrenches included for easy removal of pad
- 4,000 maximum RPM

$128.95

Also Available:

AST-32 • Pinstripe Removal Kit with Metal Handle $126.95
AST-400E • Smart Eraser® Replacement Pads $9.99

COOL SUMMER DEALS

JULY / AUGUST 2006

ATD-30001
Force-10, 3-Speed Deluxe Shop Fan

Special Features:
- Blows 300 Cubic Feet of Air Per Minute
- Heavy Duty Industrial Quality
- 3 Speeds
- Heavy Duty Rocker Switch
- 12' Extra LongGrounded Cord
- Built Tough A.B.S. Plastic
- Permanently Lubricated Spark-Free U.L. Approved Motor
- No Exposed Blades to Catch Fingers or Clothing
- High Velocity Turbine Wheel
- No-Scratch Rubber Contact Pads
- Built-In Cord Wrap
- Two 15 Amp Receptacles for Power Tools, UL Approved Cools Workers on the Job with 300 Cubic Feet of Air Flow...Anywhere!
- Quick Cool Comfort on the Job or at Home
- Auto/Garage
- Attic/Basement
- Marine/Boat
- Construction/Drywall
- Farm/Field
- Painting/Plaster
- Recreational Vehicle
- Kitchen/Laundry

$59.95

ADO-MMB8
Wisper Cool® Aspen Evaporative Cooler

- Blower wheel design for maximum velocity
- Simple and economical to use
- Cool, quiet comfort
- Natural aspen cooling pad
- Moves easily from room to room
- 2 speed motor for variable comfort
- Convenient top tool tray
- Sturdy metal construction
- 1,000 cfm
- 120 Volts, 3.6 amps
- Dimensions: 26.5"H x 22.5"W x 19.5"D

$275.00

BBL-BB2500I
2500 CFM Blower Commercial Grade

- 2500 CFM Blower Fan
- 3 speed rocker switch
- 1/2 HP motor
- Heavy-duty 30 ft cord
- Easy lift carrying handle
- Built-in cord wrap
- UL approved

$224.95

MCC-FG400 • 6.5 HP Generator

- 6.5 HP MAC OHV Engine
- Full rotection, compact frame design
- Conveniently located on/off switch
- Easy pull recoil starter quiet muffler
- 3 gallon fuel tank for long running time
- Low oil shutdown
- Rated 2670W
- Surge 2940W
- Roll cage design
- Dimensions (in): 25.20 x 18.50 x 20.28
- Master pack: 1
- Lead time: 60 Days

$515.00

MCC-FH180A • 1800 psi Electric Pressure Washer

- 1800 psi Industrial Electric Motor
- Convenient Inlet/Outlet Quick Connect System
- 20ft High Pressure Hose
- Adjustable Nozzle Spray Gun
- Detergent Kit Included
- Automatic Stop System
- Standard Hose Reel
- Flow Rate: 1.45 GPM
- Cleaning Units: 2610

Specifications:
- Input: 13 Amps
- Maximum Pressure: 1800 psi

$239.00

ATD-5951 • 400-Watt Power Inverter

- Max continuous power: 400W
- Peak load power rate: up to 800W
- For use with 12 Volt systems
- No load current draw: up to 0.5 Amps
- Input DC voltage range: DC 10V-15V
- Overload and short-circuit protection
- (1) Replaceable 40 Amp fuse
- Built-in cooling fan
- (2) 110V AC 3 prong grounded receptacles
- Overload indicator
- 14 AWG 24" cigarette plug cable (Black, Red) with battery clamp included

$31.99